## LABORATORY OF ANATOMY

## Oslerisms.

Half of us are blind, none of us feel and we are all deaf.

All things are possible in malaria: once malaria, always malaria.

In abdominal trouble if origin is unknown call it Tb.

Make the patient live within cardiac income in mitral insufficiency

or aortic insufficiency-do not squander heart beats.

V Pneumonia is the old man's sweet release from this life.

The physician gets the credit for not curing thrombosis of the leg

in typhoid fever whereas the trouble is with a faulty selection

of grandparents.

Recurrences are continuous in malaria, very common in diphtheria.

common in pneumonia, frequent in typhoid fever, and rare in measles.

Syphilis of the liver is the silver lining to the luetic cloud.

Suspicion centers around a rubicund face with roseate center

and when accompanied with splotches of white hair: On the high road

to Jericol!

The death of a gentleman-with boots on.

Simple tic or habit spasm is a most common affection of children-

and adults. Head nodding is different: occurs in very young and very

old. Chorea is entirely different.

Jaundice is the disease that your friends diagnose.

Probability is the rule of life, especially under the skin- never make

a positive diagnosis.

Syphilis and neurology are synonymous terms. Whenever in doubt

consult Jonathon Hutchinson's Archives.

Raynaud's disease and chilblains are tweedle-dum and tweedle-dee.

Area of auscultatory romance-pulmonic area.

Patient with written list of symptoms: neurasthenia.

Punctuality is the only necessary virtue-all others will be added.

Yellow icterus, green icterus, black icterus.

Avoid all skins and bones, strings and stones.

Shut your mouth and save your life-Catlin.

In heavy workmen a trio of arterio-sclerosis, kidney trouble and hypertrophy of the heart is associated.

Many drugs for a disease mean that all are inefficient.

Shortness of breath, cough, and swelling of feet: this tripod is pathognomonic of heart trouble.

Pain in relation to arterial disease-agonizing.

The man who dissolves gall stones is half brother to the one who aborts typhoid fever or pneumonia.

The area of abdominal romance: where the head of the pancreas lies folded in the arms of the duodenum, and the arms of the celiac axis and superior mesenteric artery are wrapped around the neck of the pancreas.

For a yacht cruise: five gallons of medical comforts.

Failure to examine the throat of children is a glaring sin of omission.

In the examination of a case of giant colon: Where you expect to find water you find wind, no land anywhere (palpation).

The infernal daily newspaper and the worse than infernal monthly magazine have done more to create dissatisfaction than all other agencies. Believe nothing that you see in the newspapers and if you see anything in the papers that you know is true begin to doubt

it at once.

Dermatographia is an outward and visible sign of an inward and hidden nervous instability.

UNIVERSITY OF VIRGINIA UNIVERSITY, VA. LABORATORY OF ANATOMY A diabetic, after a hunger day, followed by Van Noorden diet, with potatoes, shut down trust and stopped manufacturing sugar.

Heberden's nodes mean a few clinkers, a little too much stoking up.

We all have them south of the Mason and Dixon line.

Cauliflower endocarditis in acute articular rheumatism.

Overeating, venereal, and alcohol, these three, but the worst of these is overeating.

Why should cells of rete mucosa heve pigment in certain groups? Labor unions.

Arterio-sclerotic type in Corrigan ward over yonder ( Ward M-colored male).

Story of a life: Aman who could not stand a life of virtue acknowledged that his ancestry was of such a type as not to allow it. He broke down.

In any case:

- 1. Provide proper fuel. Food.
- 2. Keep furnace in trim. Stomach.
- 3. Provide for the clinkers. Refuse.

The small pox may be taken for the very little pox or the very big pox ( chicken-pox and syphilis).

The duration of typhoid fever may be from 5 days to 5 months. Its onset is uncertain. The day of going to bed is fallacious as an indicator- perambulatory.

Note particularly this post-febrile frown-the toxins act on the frowning center.

The difference between the white and melanotic hues of skin is due to scouring. Internal secretions are more active in the white than in the black. The adrenal scours inside.

In carcinoma of the stomach empty the patient's swill barrel and clean it out-he often gains in weight afterward.

## LABORATORY OF ANATOMY

A disbetie, after a lamer day, followed by Van

out at his to mend offenels and melanotte has a brin is que

The wearisome monotonousness of heart cases is very impressivealways an apex systolic or presystolic or an aprice diastolica continuous murmur rejoices the ear.

In examining a patient three things are necessary;

- 1. Clear the deck-remove shirt.
- 2. Good light.
- 3. Good eyes.

Prematrimonials have all sorts of symptoms.

Diabetics are dietetic sinners-no constancy in them-they make bricks without straw-manufacture sugar without food.

Pneumonia and colitis are the most frequent terminal infections.

The disease that is diggnosed by themphysician's secretary over the telephone: appendicitis.

Hippocratics.

Do no harm.

Experience is fallacious and judgment difficult.

Every man is a law unto himself.

Superfluity of lecturing causes ischial bursitis.

The above are a few of the trite sayings snatched by a busy hand from the lips of a busy man.

R. Blumet Beau.

UNIVERSITY OF VIRGINIA UNIVERSITY, VA.

LABORATORY OF ANATOMY