

254
AVES, PASSERES, Frinocilla,

AVES, PASSERES, LOXIA


20. Sanguini-rostris

20. Loxia grisea, subtus alba, rostro
pedibusq₃ sanguineis. Amer. Acad. 4. p 243.

Habitat in Asia. G. S. N. ed. nov. p 303.

& in Senegal.

The Red Bill'd Cross beak.
or Senegal Sparrow



AVES, PASSERES, Frinocilla,

654

625
629

AVES . PASSERES . Loxia

Punctulata

culatis

o

320

18 Loxia ferruginea, abdomine
nigro albo-maculato. L. S. N. p 173

Habitat in Asia.

The Gowry Bird. Edw. p. 40.

Aves - 1850-1855 - 1000

Quadrata

is of great frequency, abundant

in the upper part of the strata

of the lower part.

The fossil is very common

AVES, PASSERES, Frinocilla,

654

629

626

AVES, PASSERES, LOXIA

Astrild

culatis

30

320

21 Loxia grisea fusco undulata,
rostro temporibus, pectoreq,
coccineis. L. S. N. p. 173

21 The Wax bill. Edw. 179.

AVES. PASSEES. L. 1014

March

of water given from ...
to the temperature ...
occurred ...
The ...

AVES, PASSERES. Frinocilla.

654

629

AVES PASSERES. Loxia. 627

Bengalensis. g.


N. 23. Loxia grisea, pileo flavo, temporibus
albidis, abdomine albido fusco maculato
L. p. 175.

Passer bengalensis capite flavo Edw. 189

culatis

320

The yellow headed Benghal Sparrow



Answer 2

AVES, PASSERES, Frinocilla,

624

629

628

AVES . PASSERES, LOXIA

Gloris.

culatis

30


320

27 *Loxia flavicanti-virens remigibus
primoribus antice luteis, rectricibus
lateralibus quatuor basi luteis. L. N. S. p. 174*

The

Green-finch.

Will. p. 248



V. P. S. T. A. S. P. S. L. U. X. I. A.

Colon

1776

1776

1776

1776

1776

1776

AVES, PASSERES, Frinocilla,

654

629 b

AVES PASSERES LOXIA

26. MEXICANA

Loxia grisea, fronte gula uropigio
superciliis luteis Lin. J. N. p. 304. ed. 12^o.

culatis

320

MRS. J. B. WATSON

NEW YORK

Dear Sir,
I have the honor to acknowledge the receipt of your letter of the 10th inst. in relation to the above named matter.

654
AVES, PASSERES. Frinocilla,

631
AVES PASSERES. LOXIA.

29 Canadensis

29. Loxia viridis. Olivacea, subtus
flavo-olivacea, capite nigro.


Cocco-thraustes Canadensis Brisson:
av. 3, ps. 229 + 11. pl. 3. L.S. Nat. 304
habitat in Canada

The Canada Olive Coloured
Gross beak.

The Nun bird.

culatis

320



AVES, PASSERES, Frinocilla,

634

633

632

AVES. PASSERES Loxia

41

Caerulea

caerulea

41


Loxia caerulea, alis fuscis fascia

baseos purpurea. L. N. S. p. 171

Habitat in America

The Angola Blue Bird

320




654
AVES, PASSERES, Frinocilla,

633 6
AVES PASSERES LOXIA

An femina Precedentis.

culatis

320



AYER & JAGGERS LONDON

An American Dispensary

634
AVES, PASSERES, Frinocilla,

634 b
AVES PASSERES LOXIA

43. Violacea

Loxia, violacea, superciliis gula.

erissoq rubris. L. S. N. p. 306. ed. nov.

Coccothraustes³ purpurea. Cates B: car. 1. p. 40. t. 40

Pyrrhula bahamensis violacea Brisson. av. 3. p. 326

Habitat in America.

The purple American Bulfinch

These Birds are the British Museum.

culatis

320

AVES PASSERES LXXIX

10. 1838

[Faint, illegible handwriting]

[Faint, illegible handwriting]

254
AVES, PASSERES, Fringilla,

636
AVES PASSERES Loxia.

canadensis.

635
AVES PASSERES LOXIA

48 Bicolor.

320
culatis
Loxia fusca, subtus rubra. L.L.V. 207
Rubicilla fusca, minima Ed. av. 83. t. 83. f. 1
Fringilla rubra minor Brisson. av. 3. p. 164
Habitat in India.

Magnitudo Loxie minuta.

AMES TARTER LORIA

AMES TARTER LORIA

as Director

[Faint, illegible handwritten text]

654
AVES, PASSERES, Frinocilla,

636
AVES PASSERES Loxia.

Granadensis.

Loxia Nigra ^{temporibus} ~~Regula~~ rubinosa
cauda integra. Magnitudo Passeris
Domestici. habitat Insula Granadensis.

culatis

320

ALL TABLES LIST

TABLE I

TABLE I
TABLE I
TABLE I

654
AVES, PASSERES, Fringilla,


638

AVES PASSERES TANAGRA

4. Jacarina. L.S.N. 314. c. 2

culatis

320



APR 18 1864
NEW YORK

The Snow Bird.

634

638 etm

The Steel Bird
probably the Brazilian Jacarini
of Morgaves.


lacunculatis

the 320

This Bird I bought ~~found~~ kept alive a considerable time, the seller did not know from whence it comes. from the tip of the Bill to the end of its Tail is 3 inches & 8 Tenths of an Inch, its Bill is short & thick. its Legs is almost which the whole Body is of a Dark Blue like Steel coloured Blue by the fire.

each
2 1/2
the

Except that the Edges of the feathers of its Back of the head & Neck & on the side of its breast have an Edge of a pale Green colour. The remarkable characteristic of this bird is that the Tail is shaped like a fan narrow near the Body & spread into a fan like shape at the other end this I have not seen in any other Bird.



The Snow Bird.

534

This Bird with others Mr Nettleton
 procured me from Russia.

It is shaped like the yellow ham-
 =mer or Embriza. its length from the
 tip of the Bill to the end of Tail
 is 7 Inches. The Bill short of a
 moderate thickness yellow with a black
 tip. The Crown of the head ^{or behind the ear} a reddish
 Brown; mottled with black towards the
 Bill. Round the Eye is white as is also
 the Chin Throat neck ^{upper} part of the
 Shoulders, on the Chin the Feathers are
 long, form a sort of Beard or Ruff.
 The Back is ~~the rest of~~ Brown mottled with
 Black nearly resembling the colour of
 the Sky Lark. or the Breast is a
 Brown spot in the form of a Half moon
 or Gorge growing paler next the Belly
 which is white as also are the Thighs.

culatis
 320

7

The upper part of the wing feathers are
coloured like the Back. The Covert
Feathers are white with a small
Black streak or line on their outward
Edge. The Scapulars are black with
a small brown Edge & as are the
longest Quills. The shorter Quill feathers
are black edged with white.

The Tail ^{is forked} consists of 12 Feathers,
of which the 2 outermost on each side
are white with a small edge of Black
~~the~~ ^{other} Feathers of the Tail are
Black edged with a yellow or pale
Brown. The Feet legs Feet & Claws
are ^{Black} slender the claws sharp & hooked
the Back Claw is shorter & more
hooked than in the dark kind.

AVES, PASSERES, Frinocilla,

AVES PASSERES EMBERIZA. 639

AVES PASSERES EMB^eRIZA 639
Nivalis.

culatis

7 | *Emberiza. remigibus albis: primoribus
extorsum nigris, rectricibus nigris:
lateralibus tribus albis. L. N. S. p. 176*

320

Habitat in alpibus Lapponiae,

The

Snow Bird

The upper part of the wing feathers are

AVES, PASSERES, Fringilla,

AVES PASSERES EMBERIZA. 639


Emberiza.

Rostrum conicum.

*Mandibulae basi deorsum a se
invicem discedentes: inferiore
lateribus inflexo-coactata; superiore
angustiore.*

culatis

320



AVES, PASSERES, Fringilla,

654

643

AVES PASSERES EMBRIZA. ^E 640

Mortularia

culatis


7 A

*Emberiza. remigibus nigris: primis
tribus margine albidis, tectricibus
nigris: lateralibus duabus extorsum
nigris. L. N. Sp. 177*

320

Habitat in Europa

The Mortular



AVES, PASSERES, Fringilla,

654

643

AVES PASSERES EMBERIZA

641

Citrinella

culatis

7


5 *Emberiza rectricibus nigricantibus:*
extimis duabus latere interiore macula
alba acuta. L. N. Sp. 177

320

Habitat in Europa

The

Yellow-hammer



AVES, PASSERES, Fringilla,

654

AVES

PASSERES

EMBERIZA

Orix

643
642

bus culatis

7 *Emberiza grisea*, fronte abdomineque
nigris, collo uropygioque fulvis rostro
nigro.


L. N. S. p. 177

Habitat in Africa interiore.

The
Angola Sparrow Edw. 170

This Bird should be also painted
in the colour before its change

320




654
AVES, PASSERES. Frinocilla,

643
AVES PASSERES Emberiza

II. Cia L. J. N. p. 310. en

Emberiza rufescens, capite lineis nigrae lineis oculatis
sparsis. supercilis albis.

320



AVES, PASSERES, Fringilla,

54

AVES PASSERES EMBERIZA

646 247
644

Schæniclus.

culatis

320

Fringula; rectricibus fuscis,
extimis duabus macula alba
cuneiformi, corpore griseo nigro
que, capite nigro. L. S. N. p. 182

Paper torquatus in Arundinetis
nidificans. Will. p. 269

The Reed. Sparrow

- 17. Emberiza capite nigro, corpore griseo nigro,
rectricibus extimis macula alba cuneiformi
Linn. ed. nov. 311. Faun. Suec. 231

3

AVES PASSERES EMBELIXA

Troglodytes

Troglodytes troglodytes
troglodytes troglodytes
troglodytes troglodytes
troglodytes troglodytes
troglodytes troglodytes

The Red. Brown

troglodytes troglodytes
troglodytes troglodytes
troglodytes troglodytes

AVES, PASSERES, Frinocilla.

54

AVES PASSERES Embriza.

bab 27
bup 5 A

Paradisea.

culatis

19 *Emberiza fusca, pectore rubro,
rectricibus duabus longioribus
acuminatis, intermediis duabus
Longissimis. L. N. S. p. 170*


320

Habitat in Africa

*The
Red Breasted Long*

Tailed Finch. An. p. 06

The her of y^d Bird warbling



AVES, PASSERES, Frinocilla,

AVES PASSERES Loxia. ⁶⁴⁶ 47
28 Butyracea A

28 Loxia virescens, fronte superci-
lis pectore abdomineque flavis,
caudæ apice albo.

Linn. S. N. 174. 21.


culatis

320

s

me

tum



AVES, PASSERES, Fringilla,

654

AVES PASSERES Embriza

646 IZA 647

21. VIDUA

Embriza Nigricans, subcus albida,

culatis

20

Rectricibus intermediis quatuor
elongatis acuminatis duobus longissimis
Lin: 1. N. ed. nov. p. 312
rostris rubris.

Passer indicus macrourus, rostro minaceo

Aldro. orn 2 p. 565. Will. orn 184 Raj: av 87

Vidua major Briss. av. 2. p. 227. 1872


Habitat in India.

The Black & White Widow Bird

cus

ime

entum



AVES, PASSERES, Fringilla,

654

AVES PASSERES EMBERIZA

647

23 Regia

culatis


Rectricibus intermediis quatuor longissimis
aequalibus apice tantum pennatis, rostro
rubro.

20

Vidua viparia africana

Habitat in Africa.

Corpus, magnitudine Linariae, nigrum, subtus
rufescens. Collum rufescens. Rectrices interme-
diae 4 rectae toto corpore duplo longiores, tantum
apice lanceolato pinnatae. Pedes rubri.




654
AVES, PASSERES, Frinocilla.

648
AVES PASSERES Emberiza.

culatis

320



AVES, PASSERES, Fringilla.

654

AVES

PASSERES EMBERIZA

649

Curs

24 *Emberiza capite caeruleo, abdomine fulvo, dorso viridi, pennis viridifuscis.* L. N. S. p. 179

culatis


320

Habitat in America

The

24

Nonpariel



AVES, PASSERES, Frinocilla,

654

Frinocilla 100

650

AVES PASSERES Emberiza

653

Emberiza Ruffa, pectore maculato


culatis

320

e

n;

20/



AVES, PASSERES, Fringilla,

654

Fringilla

653

Furcata


653

E. viridis-flava, pileo rubicundo,
cauda bifurcata.

culatis

320

Rostrum crassum, fere ut in *Loxia*.
Mandibula superiore plumbea, inferiore
lutescente. Caput supra rubicundum;
Collum luteum; Gula rubro-irrorata.
Corpus viridi-flavum; Ala viridescens.
Cauda e flavo-viridis, bifurcata;
lobis obtusis extrorsum recurvatis.
Pedes cinerei.
Ala. Penna prope alas subrecurvata.



AVES, PASSERES, Fringilla, 654

AVES PASSERES Fringilla 653
Embriza

24 Flaveola

Embriza ~~flava~~ grisea, ^{fronte fulva} ~~facie flava~~
habitat in calidis regionibus.


Corpus magnitudine Ligurini.

Frons & gula flava.

remigibus reatricibus q³ nigris flavo
marginatis. L. I. N. p. 321 ed. nov.

maculatis

320



254
AVES, PASSERES, Fringilla,

SERINUS.

17. Fringilla subvirescens; mandibula
inferiore albida, dorso lateribusq; fusco-maculatis
Fascia alarum flava. L. J. N. ed nov. p. 320
habitat in Europa australi

658

Muscula tubicola The Myna

Penant Quadrupeds 174

L'ontre d' Amerique. British Museum

American Otter webfooted

Amictus rotundis pedibus pentadactylis

Corpus ~~truncus~~ cauda sigmifante villosa quadrata

dentes duo superiores. & inferiores
174

Carta Zibetinis webfooted.

ETA

658

667

~~The Musk Beaver~~

~~Capite rotundo.~~

~~Corpore fusco. cauda nuda. nigrescente
ore vibrato. pedibus palmatis
palpebris albicantibus~~

~~Pennoni Quador. 191~~

652
653
Calandra


Emberiza. grisea nigro-maculata

L. N. S. p. 176

Habitat in Europæ

The

Bunting Lark



AVES

658

Monti-fringilla

655


657?

Fringula alarum basi subtus flavissima
L. N. S. p. 179

The

Mountain-finch

Will. orn. p. 254



PASSERES AVEs
FRINGILLA

658
662
660
Carduelis


7 *Fringula remigibus anterioribus luteis
extrema immaculata, rectricibus duabus
extimis medio reliquisq; apice albis.*

L. N. S. p. 100

Habitat in Europa

The

Gold-finch



AVES PASSERES FRINGILLA

Melba


8 *Fringilla caudata, rubris, abdomine
albo nigroq undulato, dorso viridi*

L. N. Sp. 100

Habitat in China

The

Green Gold finch



662
660 '61
AVES PASSERES FRINGILLA

Caelus


3 *Fringilla artubus nigris. remigibus
utrinque albis; tribus primis immaculatis
rectricibus duabus utrinque albis*

L. N. S. p. 179

Fringilla. Mill. p. 253

The

Chafinck



662

661

~~AVES PASSERES FRINGILLA~~

23. Canaria

23. Fringilla rostro corporeq^q
albicante, re³trici³b³us remigibus
-que virescentibus. L. S. N. 181.

Habitat in Canariis Insulis.

L. N. p. 181.

The Canary Bird.

AVES. PASTORALIS. I. B. G. G. G.

1. C. canaria

2. C. canaria

3. C. canaria

4. C. canaria

5. C. canaria

M. P. 1811

The Canary Islands

662

Granatina L. N. S. ed. 9. p. 309.

662

Brasiliensis

11 Fringilla cauda lincei formi, corpore
rufescente, temporibus uropygii
abdomineq. violaceis rostro rubro

52

22

L. N. S. p. 101

The
Brazilian red and Blue
finch ed. p. 191

Aves Papaveres Fringilla

Fringilla ^{canda} (lanceiforma nigra corpore rubro
 alis viridibus. remigibus & rectricibus
 nigris crastro palide apice nigro pedibus
 pallidis circulis oculorum albis. Magnitudo
 = de pari.

Habitat

This Bird is not described as I think

AVES PASSERES FRINGILLA

11. GRANATINA. L.N. 319

Fringilla. Cauda Cuneiformi. corpore
rufescente. Rostris rubro, temporibus uropygialis
abdomineq. violaceis.

Fringilla coloribus rufis & caeruleis, brasiliensis
Edw av. 191 t. 191.

Granatinus Bris: Av. 9. p. 216. t. 9 f. 3.

Habitat in Brasilia

The Brasil Finch.

KVES DASSERS TRINGILLA

M. CRABATINA. 4000

Tringilla. (Linn.) Gmel. 4000

Tringilla. (Linn.) Gmel. 4000

Tringilla

Tringilla. (Linn.) Gmel. 4000

664
AVES PASSERES FRINGILLA,

12. *Tristis*

12. *Fringilla flava, fronte nigra
alis fuscis. L J N p. 153*

*The American Goldfinch
Catesby. ear. 1. p 42.*

1850

1. *Trichia*
2. *Trichia flavo-fronte nigra*
also known as *T. p. var.*
The American Botanical
Gazette, vol. 1, p. 22.

1850



259
665
AVES PASSERES FRINGILLA.


10 Amardava

10 Fringilla rectricibus purpureis
medietate postica atris.

Habitat in India Orientalis

L.P.N. p. 180.

The Amadavat.



655

Hirundo Domestica

This Bird is in the Possession of Mr Penant

