


## ALLE MINOR

6. ALCA. rostro nigro brevis. capite & superiore parte nigro. macula alarum & lineis rectricibus albis. inferiore parte corporis & pedibus albis.

Habitat in Wallia.

## The Puffinet.

This bird is not described. tho sometimes found in the Rocks in Wales. I believe it is very scarce. 2 of these Birds were sometime kept at fr Roger Mostyn in Denbighshire.



AVES ANSERES PROCELLARIA 834

*Capensis.*

5. *Procellaria. albo fuscog varia*  
L.S. N.p. 132. Habitat ad Cap. b. Spei

*The*

*White and Black Spotted*

*Peteril. Edm. p. 90*

1861

Received of the Treasurer of the  
Board of Directors of the  
City of New York

the sum of

Five hundred and no/100 Dollars


for the purchase of

1861

## AVES ANSERES DIOMEDEA

*Diomedea.*

*Rostrum rectum: maxilla superiore  
apice adunca: inferiore truncata  
Nares ovata, patulae. prominulae.  
laterales.*



AVES ANSERES DIOMEDEA

836

*Exularis*


1. *Diomedea. alis pennatis, pedibus  
tridactylis.*

*L.S. N.p. 132.*

*Habitat intra tropicos*

*The*

*Albatros*






*Onocrotatus*

3. *Pelecanus. gula saccata. L. S. N. p. 132.*

*Habitat in Africa et Asia*

*The  
Pelecan.*




*Pelecanus.*

*Rostrum edentulum, rectum,  
rectum: apice adunco, unguiculato.*

*Nares lineares, oblitteratae.*

*Facies nudiuscula.*

*Pedes digitis omnibus quatuor  
simul palmatis.*



AVES ANSERES PELECANUS

*Oncrotalus  
americanus.*

2 *Pelecanus fuscus.* L.S. N.p. 133  
*The*

*American Pelican.*

1874

1. ...  
2. ...  
3. ...  
4. ...  
5. ...


840  
AVES ANSERES Pelicanus

## Carbo

3 *Pelecanus*. cauda aequali, corpore  
nigro, rostro edentulo. *Pelecanus*  
corpore atro, subtus albicante, rectricibus  
quatuordecim. L. S. N. p. 139

*Habitat in Europa*

## The Cormorant






AVES ANSERES PELECANUS

4. *Graculus ~~patris~~*

Pelecanus cauda rotundata, corpore nigro subtus fusco, rectricibus duodecim rostro edentulo. L. J. N. 217. ed. nov.

Will. orn. p. 352. habitat in Europa marinis

The Shag



AVES ANSERES PELECANUS

*Bassanus.*


5. *Pelecanus. cauda cuneiformi, rostro serrato, remigibus primoribus nigris.*

*L. S. N. p. 133.*

*Habitat in Scotia, America*

*The*

*Soland Goose.*



## AVES. ANSERES. PELECANUS

## FIBER.

8. Pelicanus cauda Cunei forma

rostrato serato,

remigibus omnibus nigrae, <sup>zula. fusca</sup>

facie rubra. Bris. av. 6. p 499 t 43. f. 1

- L. N. S. ed. nov. p 218.

habitat in Oceano, Africano, Americano

pedibus tetradactylis rufescentibus.

MISS JAMES B. FLETCHER

1871

Dear Mother  
I received your letter  
of the 10th and was  
glad to hear from  
you. I am well and  
hope these few lines  
will find you the same.  
I have not much news  
to write at present.  
I am your affectionate  
son  
James B. Fletcher

AVES ANSERES. PELECANUS  
MACULATUS.

9 Pelecanus rostro alido. <sup>+</sup> facie rubra  
pedibus tetradactylis rubris.  
magnitudo Bafano inferior.  
parte superiore <sup>abdomine & femoribus</sup> nigra. Maculis  
albis notatus, in Extremitatibus  
plumatum.

parte inferiore albo tamen pectus  
nigro maculatus.


The Speckled Cormorant.

This Bird was sent me from  
Lincolnshire where it settled on the  
ground in a severe Winter and could  
not raise it self from the ground

No 30.

It is a species entirely different from any  
described by Linnaeus. & not a variety arising  
from age or sex.

non modo mandibula inferiora angulata ut in alio.






AVES. ANSERES. PLOTUS

ANHINGA

Plotus L. J. Ned. 12<sup>o</sup> p. 118  
Anhinga Margr Bras. 2. 19. Will. orn. 250. t. 75  
Raj. av. 124. n. 7. Brisson. av. 6. p. 477.

Habitat in America australi;  
more serpentum, contracto prius longiore  
collo, ejaculatur rostrum in Pisces.

Collum longum. Pedes breves digitis omnibus  
connexis. Caput tomentosum plumis minutissimis




AVES ANSERES PLOTUS

73. PLOTUS

Rostrum rectum, acuminatum,  
denticulatum.

Facies tecta

Pedes palmati, omnibus digitis,  
connexis.




AVES ANSERES THAETON.

*Athericus.*

*Phaethon. rectricibus duabus  
longissimis, rostro serrato. digito  
postico adnato. L. S. N. p. 134*

*Habitat in Pelago inter tropicos*  
*The*

*Tropic Bird*



*Phaeton.*

*Rostrum curtum, rectum acuminatum.*

*fauce pone rostrum hiante.*

*Nares oblongae, postice membrana  
semitectae.*

*Digiti postici antrosum versi.*



*[Faint, illegible handwriting, likely bleed-through from the reverse side of the page.]*



Colymbus

Rostrum, edentulum, subulatum  
rectum, acuminatum.

Pedes. pone æquilibrium.

L. N. S. p. 135

The Diver or Loon Kind.

N<sup>o</sup> 33.

Chopin

Andante sostenuto

Op. 10, No. 3

1840


The Boston Public Library

## AVES. ANSERES. Colymbus

## TROILE

- 2 Colymbus, pedibus palmatis, tridactylis  
 corpore nigro, pectore abdomineq; nives,  
 marginibus secundis, apicibus albis. L. L. N<sup>o</sup> 220  
 D. nov.  
 Habitat ad & infra Circulum Arcticum.

This Bird I had from Mr Bank &  
 I suppose he brought it from Canada  
 but am not certain.




AVES. ANSERES Colymbus

SEPTENTRIONALIS

- 3 Colymbus pedibus palmatis tetradactylis collo subtus maculo scuti formi ferruginea.

habitat in Europa borealis lacibus.

L. J. N. 221. ed. nov.



014  
002  
851  
AVES ANSERES COLYMBVS

Arcticus

- 4 Colymbus pedibus indivisis,  
gutturē nigro purpurascēte  
L. S. N. p. 135.

Habitat in America boreali.

ATLAS ANSEREA COLLEGIUM

Arctium

*Cotyledon pedibus arduis*

guttis nigro purpurascens

L. X. p. 11.

Habitat in America boreali



AVES ANSERES Colymbus

GLACIALIS


27

Colymbus pedibus palmatis tetra-  
-dactylis, capite colloq<sub>3</sub> nigro -  
- violaceo, fascia gula cervicalis alba  
interrupta.

Habitat in Mari Arctico

Lin: J. N. 222 ed. nov.

The Greatest Arctick Lombe  
or Diver.



856

854

## Cristatus

7. *Colymbus pedibus lobato-fissis,*  
*capite rufo, collari nigro, remigi-*  
*-bus secundariis albis.* L. N. S. p. 135.



856

855

AVES ANSERES COLYMBUS

Auritus.

§ Colymbus, pedibus lobatis, capite nigro, auribus cristato-ferrugineis. L. S. N. p. 135.

The greater Crested  
and horned Duck.  
Will. orn. p. 340

AYER & WHEELER'S

Journal

of cylinders, pistons, valves, caps, &c.  
with a number of other articles  
New York, N.Y. 1858.

The printer for  
Wm. B. Dorr  
1858


856  
AVES. ANSERES. Colymbus

URINATOR

♀ Colymbus pedibus lobatis,  
Capite Cævi, macula alarum alba,  
Colymbus major lacus Lemni. Edw. av. t. 360  
Habitat in Europa Australi.

Corpus supra Nigrum, subtus Album  
macula alarum lata Alba.  
Linea Nigra in Oculis & rostrum.  
Palpebra inferior lutea.

n. B in my Bird the bottom of the neck  
& Part of the Breast are ferruginous.





853

856

Columbus

Major

Will. orn. p. 339.

The

Greater Loan

No. 41

41

*Faint, illegible handwriting, possibly bleed-through from the reverse side of the page.*

AVES

Colymbus


Minor.

The

Lesser Loon

it differs from the preceding only  
in that the line from the Eye to the Bill  
is Scarlet.

of the whole under side is White of  
a Silver Colour



853

858

*Podicipes Minor.*

*Will. orn. p. 340*


*The*

*Dudapper, or Dwyper*

*or*

*Dobchick*

*No. 43.*



AVES ANSERES COLYMBUS.

Podiceps.

11 Colymbus pedibus lobatis  
corpore fusco, rostro fascia  
sesqui altera. L. N. S. p. 136

ALB. ANDERSON'S WORKS

Redeem

Colymbus pedibus lobatis  
corpore fusco rubro fasciis  
scriptis albis. L. N. 1. p. 10



100



*Columbus.*

6 *Maximus caudatus.* Will. orn

*The  
Greatest Speckled Diver  
or  
Loon.*

*habitat in Anglia*

*This Bird is described Will. orn. p. 341*

*but is by mistake called Maximus*

*not being half so big as the preceding.*


*an Immer. LSN. p. 222.*

*Colymbus pedibus palmatis tetradactylis  
corpore supra nigrescente albo undulato*

No 30.

*Habitat in Oceano glaciali.*

*N. B I shot this bird in the fens in Lincolnshire*



2 *Cygnus ferus*


L. S. N. p. 122

*The Elk.*

*Faint, illegible handwriting, possibly bleed-through from the reverse side of the page.*

*Anseres.*

*Rostrum obtusiusculum,  
epidermide tectum sub basi  
gibbum, apice auctum. Lingua  
carnosa, obtusiuscula. Pedes  
palmati, natatorii.*



## Cynoid.

3. *Anas rostro cylindrico basi gibbo*

*L. N. S. p. 122. Fn. succ. p. 89*

*Anser Cygneus Guineensis. Will.*

The Swan Goose or  
Guinea Goose.

By



Canadensis.

9 Anser fuscus, capite colloq<sub>3</sub> nigro,  
gula alba. L. S. N. p. ~~123~~ 123  
Habitat in Canada.


The  
Canada Goose.

*Faint, illegible handwriting, possibly bleed-through from the reverse side of the page.*

Anser Ferus.

Will. orn. p. 358

3. The Comon Wild Goose.



*Mollissima*

*Anas* rostro cylindrico, cera

postice bifida rugosa. L. N. S. p. 524

Habitat in Europa, boreali, Pelagica.

The Lider Duck.

